



# 深圳市弗瑞鑫电子有限公司

## 规格承认书

—  
\_\_\_\_\_  
\_\_\_\_\_

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |

|         |  |
|---------|--|
| prepare |  |
|         |  |
| check   |  |
|         |  |
| approve |  |
|         |  |



TRX电容一级代理商

深圳市弗瑞鑫电子有限公司

Add:深圳市宝安区西乡大道302号金源商务大厦B座3楼

Tel:0755-29563634

Fax:0755-27447020

- 2


2 . .


/

/

/

/


|   |              |  |   |
|---|--------------|--|---|
|  | - 2<br>2 . . |  |   |
|   | /            |  | / |
|   | /            |  | / |

|   |              |  |   |
|---|--------------|--|---|
|  | - 2<br>2 . . |  |   |
|   | /            |  | / |
|   | /            |  | / |

1. /

$\overline{\text{①}}$   $\overline{\text{②}}$   $\overline{\text{③}}$   $\overline{\text{④}}$   $\overline{\text{⑤}}$   $\overline{\text{⑥}}$

①

|   |              |  |   |
|---|--------------|--|---|
|  | - 2<br>2 . . |  |   |
|   | /            |  | / |
|   | /            |  | / |


3. /




4. /

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

5. /




|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |



|   |  |  |
|---|--|--|
|   |  |  |
| ① |  |  |
| ② |  |  |
| ③ |  |  |
| ④ |  |  |
| ⑤ |  |  |

- 2  
2 ..

/ /  
/ 5 /

|   |              |  |   |
|---|--------------|--|---|
|  | - 2<br>2 . . |  |   |
|   | /            |  | / |
|   | /            |  | / |

/

°  
°C

°

°


°

/

7. /

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |



|   |              |  |   |
|---|--------------|--|---|
|  | - 2<br>2 . . |  |   |
|   | /            |  | / |
|   | /            |  | / |





- 2  
2 . .

/

/

/

/

|  |  |   |  |  | ± |
|--|--|---|--|--|---|
|  |  |   |  |  |   |
|  |  | ± |  |  |   |
|  |  | ± |  |  |   |
|  |  | ± |  |  |   |
|  |  |   |  |  |   |
|  |  |   |  |  |   |
|  |  |   |  |  |   |
|  |  | ± |  |  |   |
|  |  |   |  |  |   |
|  |  |   |  |  |   |



# TRX

专注电容器廿年

- 2  
2 . .

/

/

/


/


|  |  |  | ±                     |
|--|--|--|-----------------------|
|  |  |  |                       |
|  |  |  | △<br>△<br>△<br>△<br>△ |
|  |  |  |                       |
|  |  |  |                       |
|  |  |  |                       |
|  |  |  | △<br>△<br>△<br>△<br>△ |
|  |  |  |                       |
|  |  |  |                       |



|  |  |  |     |
|--|--|--|-----|
|  |  |  |     |
|  |  |  | ± ± |
|  |  |  | ± ± |
|  |  |  | ± ± |
|  |  |  | ± ± |

8. /



|   |              |  |   |
|---|--------------|--|---|
|  <b>TRX</b><br>专注电容器廿年 | - 2<br>2 . . |  |   |
|   | /            |  | / |
|   | /            |  | / |

9. /







10. /

(1)

(2)


/  
/

(3)

(4)


×

11. /  
/









User Direction of Unreeling

| ITEM      | W    | A0                   | B0                   | K1 | K0                   | P    | F                    | E    | D0                       | D1                       | P0  | P2  | T                    |
|-----------|------|----------------------|----------------------|----|----------------------|------|----------------------|------|--------------------------|--------------------------|-----|-----|----------------------|
| DIM       | 12.0 | $4.75^{+0.30/-0.30}$ | $5.70^{+0.10/-0.10}$ | -- | $2.70^{+0.10/-0.10}$ | 8.00 | $5.50^{+0.10/-0.10}$ | 1.75 | $\phi 1.5^{+0.10/-0.10}$ | $\phi 1.5^{+0.10/-0.10}$ | 4.0 | 2.0 | $0.30^{+0.10/-0.10}$ |
| ALTERNATE |      |                      |                      |    |                      |      |                      |      |                          |                          |     |     |                      |



| Item                | Data      | Remark  |
|---------------------|-----------|---|
| Cover tape adhesion | 10 ~ 100g | Carrier tape and cover tape open angle 165 ~ 180°<br>F=300±5mm/minute |




|     |   |  |  |  |
|-----|---|--|--|--|
| / - |  <p>标签</p> |  <p>料号</p> |  |  |
|     |           |            |  <p>此处为密封当天日期</p> |  |

|     |   |   |  |   |
|-----|---|---|--|---|
| / - |  |  |  |  |
|     | 图示 /  | 图示 /  | 图示 /   |   |
|     |   |   |  |   |

|     |   |   |  |   |
|-----|---|---|--|---|
| / : |  |  |  |  |
|     | /   | /   |  |   |

" "



|   |              |  |   |
|---|--------------|--|---|
|  | - 2<br>2 . . |  |   |
|   | /            |  | / |
|   | /            |  | / |

12. / 

①

②